

Model Engineering College,
Thrikkakara, Cochin 21

No.A2/1928B/2020/MEC

17.12.2020

Quotation No. 7/2020-21/MEC

SHORT QUOTATION NOTICE

Sealed superscribed quotations are invited for the 'purchase of Equipment for Mechanical Engg Dept - Shedule 2 ' of the institution.

The envelope containing the quotation should bear the superscription ' purchase of Equipment for Mechanical Engg Dept - Shedule 2 ' should be adressed to the principal, Model Engg College, Thrikkakara,cochin-21.Intending tenderers may submit the quotation on their own papers . Last date of receipt of quotation is 5/1/2021 ,11am and late quotation will not be accepted. The quotation will be opened at 12.00 noon on the same day in the presence of such tenderers or their representatives who may be present at that time.

-

PRINCIPAL

Quotation No. 6/2020-21/MEC

Item 1	Quantity	Specification
1 Mechanical Workshop Carpentry bench vice -10"	7 nos	Size 225mm, Heavy Duty, Opening of Jaws - 330mm, square body seating, body and sliding jaw should have provisions for attaching wooden liners to protect the vice, work piece and working tools. Vice jaws should be equipped with a "TOE-IN" feature.
2 Firmer Chisel -2"	10 nos	Material : Steel, Handle Wooden, Drop Forged, Whole body Heat Treated
3 Metal jack plane -9"	15 nos	Plain base, cast iron body, blade out of high carbon steel, duly hardened & sharpened
4 Rip saw -18"	7 nos	Size : 18 inches Finish : Machine Cut Handle : Yes- fitted with heavy duty handle. Cutting Metal: CF-305T Heavy Duty
5 Hacksaw frame -12"	10 nos	Handle : Aluminum die cast Frame : Square section tubular frame Grip: Guarded grip design to protect knuckles from grazing Blade Tensioning : Easy to use blade tensioning device Blade : Fitted with a 12" (300 mm) chrome alloy steel blade
6 Solid type Bench vice, heavy duty -5"	10 nos	Double Ribbed with large anvil & Heavy Horn. Size 125mm, Width of Jaws-125mm, Opening of Jaws-135mm, Depth of Jaws-85mm. Semi Steel unbreakable body & Jaws Alloy Steel Serrated fitted with L-Key bolts, Double anvil corner to corner square

		beam, heavy Horn for more opening, Thrust System in back
7 Socket Set	1no	1 Pc 1/2 DRIVE SPARK PLUG SOCKETS 21 MM, 1 Pc 1/2 DRIVE SLIDING T-HANDLE, 1 Pc 1/2 DRIVE UNIVERSAL JOINT, 1 Pc 1/2 Drive QUICK RELEASE RATCHET, 2 Pcs 1/2 Drive EXTENSIONS: 130 & 250 MM, 18 Pcs 1/2 DRIVE 6 POINT SOCKET - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 MM
8 Ring spanner set (all standard measurements)	1 no	Sizes -6x7 , 8x9 , 10x11 ,12x13, 14x15 , 16x17 , 18x19 , 20x22, Hardness: 42 48 HRC_x000D_ Drop forged from high grade Chrome Vanadium Steel._x000D_ Scientifically heat treated to give maximum strength and wear resistance.
9 10 Piece Screwdriver Set	1 no	SLOTTED SCREWDRIVERS - 3 x 50 mm, 6.5 x 100 mm, 6.5 x 150 mm, 6.5 x 40 mm, 5 x 75 mm, 5 x 150 mm PHILLIPS SCREWDRIVERS - PH0 x 60 mm, PH1 x 100 mm, PH2 x 100 mm, PH2 x 40 mm
10 Adjustable Wrench	2 no	Material : Chrome Vanadium Steel, with soft cushio grip, Size - 10' (1No) and 8" (1 No)